


296-31-R

16


296900

Your Trust!



A new  
Lacquer

296/900



*An unretouched photographic reproduction of a panel finished with  
Jack Frost Lacquer*

It is with pardonable pride that we introduce the newest of an already extensive line of lacquer products—JACK FROST LACQUER. The name, descriptive of the finish obtained by its use, is suggested by the beautiful patterns frost makes on a window pane. JACK FROST LACQUER duplicates them. No two patterns are alike and yet all are crystalline and far more intricate than anything tooled by the most skillful hand.

We are prepared to ship in large or small quantities.

## *Jack Frost Lacquer*

may be applied by spray or dip to any smooth surface such as glass, wood, metal fibre, etc., making an excellent finish for glassware, furniture, all kinds of metal goods, radio horns and instruments, signs, etc. It is furnished ready thinned for dipping. For spray work we recommend thinning 3 to 1 of thinner. JACK FROST LACQUER comes in transparent, black and all colors.

### Directions For Use

It will crystallize on smooth surface of metal, glass, wood and paper, the best results being obtained from one coat on a smooth, clean surface. It can not be applied over a base coat of lacquer nor can a finishing enamel be applied over it. The usual procedure of application of lacquer should be followed except that in spraying a somewhat heavier coat than usual is applied. An air pressure of 30 pounds has been found to be most suitable. An important point to be observed in the use of JACK FROST LACQUER is the drying. Freely lacquered articles must be protected from drafts but should dry at room temperature until frosted. To obtain a more durable finish and to remove solvent odors, it is recommended that after the lacquer is dry the articles be placed in an oven at about 140° F. for one-half hour. This same result may be obtained by allowing the work to dry for several days at room temperature.

JACK FROST LACQUER is only one of many lacquers recently developed by our Chemical Department which is continually experimenting with a view to producing new products. Despite this, they still have time to give your individual problems their attention. We would welcome an opportunity to cooperate with you on any problem of finishing which you may have.



*Address Service Department*

THE EGYPTIAN  
LACQUER MFG. COMPANY  
90 West Street  
New York City